Google Scholar BETA

"stewart platform" spring 1951 - 2002 Search

Advanced Scholar Searc
Scholar Preferences
Scholar Help

Scholar **All articles** Recent articles

Results **1** - **10** of about **216** for **"stewart platform" spring**. (**0.16** seconds)

The **Stewart platform** manipulator: a review - group of 5 »
B Dasgupta, TS Mruthyunjaya - Mechanism and Machine Theory, 2000 - Elsevier
... The concept of a passive **Stewart platform** with **spring**-loaded legs was used by Griffis and Duffy [83] for theoretical modelling of a compliant coupling. ...
Cited by 141 - Related Articles - Web Search - BL Direct

Modeling, simulation, and control of a hydraulic **Stewart platform** - group of 4 »
D Li, SE Salcudean - Robotics and Automation, 1997. Proceedings., 1997 IEEE ..., 1997 - ieeexplore.ieee.org
... For the **Stewart platform** considered here, the mass of the six legs is considerably ... coefficient (normally piston seal fric- tion), K is the **spring** constant of ...
Cited by 21 - Related Articles - Web Search - BL Direct

Design and development of a **Stewart platform** based force–torque sensor - group of 2 »
TA Dwarakanath, B Dasgupta, TS Mruthyunjaya - Mechatronics, 2001 - Elsevier
... The concept of a passive **Stewart platform** with **spring** loaded legs was used by Griffis and Duffy [7] for theoretical modelling of a compliant coupling. ...
Cited by 14 - Related Articles - Web Search

Design and control of a simplified **Stewart platform** for endoscopy - group of 3 »
JM Wendlandt, SS Sastry - Decision and Control, 1994., Proceedings of the 33rd IEEE ..., 1994 - ieeexplore.ieee.org
... useful for applications which do not need the full motion of the **Stewart platform**. ... consists of two platforms separated by rigid tubes and a **spring**-like device ...
Cited by 8 - Related Articles - Web Search - BL Direct

Experimental study of motion control and trajectory planning for aStewart Platform robot manipulator
CC Nguyen, SS Antrazi, ZL Zhou, CE Campbell Jr - Robotics and Automation, 1991. Proceedings., 1991 IEEE ..., 1991 - ieeexplore.ieee.org
... Six **spring**-loaded pistons arranged also in a geometry similar to the **Stewart Platform** mech- anism are used to suspend the lower compliant plat- form from the ...
Cited by 13 - Related Articles - Web Search

A six-component contact force measurement device based on the **Stewart platform** - group of 6 »
JS Dai, DR Kerr - Proceedings of the Institution of Mechanical Engineers, Part ..., 2000 - journals.pepublishing.com
... based on the **Stewart platform** ... The geometry of the device is based upon that of the **Stewart platform** manipulator, con®gured symmetrically. ...
Cited by 10 - Related Articles - Web Search - BL Direct

On the stiffness and stability of Gough-Stewart platforms - group of 2 »
MM Svinin, S Hosoe, M Uchiyama - Robotics and Automation, 2001. Proceedings 2001 ICRA. IEEE ..., 2001 - ieeexplore.ieee.org

... Griffis and Duffy (1993) derived . an asymmetric stiffness matrix for a **Stewart platform**- type mechanism with six **springs**. Ciblak ...
Cited by 14 - Related Articles - Web Search - BL Direct

A six-degree-of-freedom micro-manipulator based on piezoelectric translators - group of 5 »
P Gao, SM Swei - Nanotechnology, 1999 - iop.org
... composed of a piezoelectric stack, a monolithic leaf **spring** and a ... manipulators adopt parallel linkages with the configuration known as the **Stewart platform**. ...
Cited by 21 - Related Articles - Web Search - BL Direct

On the use of virtual springs to avoid singularities and workspaceboundaries in force-feedback ... - group of 2 »
A Rubio, A Avello, J Florez, SS CEIT - Robotics and Automation, 2000. Proceedings. ICRA'00. IEEE ..., 2000 - ieeexplore.ieee.org
... This system has been applied to a master-slave system, in which the master robot

Scholar **All articles** Recent articles Results **1 - 10** of about **70** for **"stewart platform" suspension**. (**0.15** seconds)

All Results
K Waldron
P Nanua
V Murthy
J Angeles
F Hao

Direct kinematic solution of a **Stewart platform** - group of 4 »
P Nanua, KJ Waldron, V Murthy - Robotics and Automation, IEEE Transactions on, 1990 - ieeexplore.ieee.org
Page 1 S R Fig. 1. Triple arm mechanism. Fig. 2. General **Stewart platform** (AA , FF are variable lengths). B1 Fig. 3. Special form of the **Stewart platform**. ...
Cited by 102 - Related Articles - Web Search

On the cable car feed support configuration for FAST - group of 5 »
R Gexue, L Qiuhai, Z Zhou - Astrophysics and Space Science, 2001 - Springer
... Parallel **suspension** and driving cables are arranged for increasing the rotational ... The **Stewart platform** (Stewart, 1965) has proved to be a high precision ...
Cited by 3 - Related Articles - Web Search - BL Direct

Operational envelopes for working bodies of mechanisms and manipulators
EJ HAUG, FA ADKINS, CM LUH - Journal of mechanical design(1990), 1998 - cat.inist.fr
... Examples involving a planar **Stewart platform** with a dome attached and the wheel assembly of a vehicle **suspension** system in three dimensions are analyzed ...
Cited by 7 - Related Articles - Web Search - BL Direct

Applications of the NIST RoboCrane - group of 4 »
R Bostelman, J Albus, N Dagalakis, A Jacoff, J ... - Proc. of the 5 thInternational Symposium on Robotics and ..., 1994 - isd.mel.nist.gov
... have proved much of the theory and performance of a **Stewart Platform** parallel link ... Since the work platform needs only three **suspension** points for the six cables ...
Cited by 12 - Related Articles - View as HTML - Web Search

Conditions for line-based singularities in spatial platform manipulators - group of 2 »
F Hao, JM McCarthy - Journal of Robotic Systems, 1998 - doi.wiley.com
... supporting chain. These conditions are satisfied by many manipulator systems, particularly those based on the **Stewart platform**. A ...
Cited by 45 - Related Articles - Web Search - BL Direct

The experimental performance of a mobile manipulator controlalgorithm - group of 5 »
NAM Hootsmans, S Dubowsky, PZ Mo - Robotics and Automation, 1992. Proceedings., 1992 IEEE ..., 1992 - ieeexplore.ieee.org
... k and b are, respectively, the stiffness and damping of the vehicle **suspension**. ... 8. The VES is a six DOF hydraulically actuated **Stewart platform** developed for ...
Cited by 11 - Related Articles - Web Search

Series-parallel dualities in actively coordinated mechanisms - group of 4 »
KJ Waldron, KH Hunt - Int. J. Robotics Research, 1991 - cis.upenn.edu
... Introduction It will be demonstrated that there is a deep symmetry between serial chain manipulators and fully parallel systems such as the **Stewart platform**. ...
Cited by 46 - Related Articles - View as HTML - Web Search

Development of the NIST Robot Crane Teleoperation Controller - group of 4 »
NG Dagalakis, JS Albus, RV Bostelman, J Fiala - Robotics and Remote Handling Proceedings, Fifth Topical ..., 1993 - isd.mel.nist.gov
... The joystick was another small size **Stewart platform** mechanism shown in Figure 3. The ... of the two platforms and the coordinates of the **suspension** points, with ...
Cited by 3 - Related Articles - View as HTML - Web Search

Stability of an underwater work platform suspended from an unstablereference - group of 4 »

Scholar **All articles** Recent articles Results **1 - 10** of about **44** for **"stewart platform" automobile suspension**. (**0.15** secon

All Results
K Waldron
P Nanua
V Murthy
J Angeles
F Hao

Direct kinematic solution of a **Stewart platform** - group of 4 »
P Nanua, KJ Waldron, V Murthy - Robotics and Automation, IEEE Transactions on, 1990 - ieeexplore.ieee.org
Page 1 S R Fig. 1. Triple arm mechanism. Fig. 2. General **Stewart platform** (AA , FF are variable lengths). B1 Fig. 3. Special form of the **Stewart platform**. ...
Cited by 102 - Related Articles - Web Search

The experimental performance of a mobile manipulator controlalgorithm - group of 5 »
NAM Hootsmans, S Dubowsky, PZ Mo - Robotics and Automation, 1992. Proceedings., 1992 IEEE ..., 1992 - ieeexplore.ieee.org
... k and b are, respectively, the stiffness and damping of the vehicle **suspension**. ... between the manipulator and its (emulated) vehicle, the **Stewart platform**. ...
Cited by 11 - Related Articles - Web Search

Operational envelopes for working bodies of mechanisms and manipulators
EJ HAUG, FA ADKINS, CM LUH - Journal of mechanical design(1990), 1998 - cat.inist.fr
... Examples involving a planar **Stewart platform** with a dome attached and the wheel assembly of a vehicle **suspension** system in three dimensions are analyzed ...
Cited by 7 - Related Articles - Web Search - BL Direct

On the cable car feed support configuration for FAST - group of 5 »
R Gexue, L Qiuhai, Z Zhou - Astrophysics and Space Science, 2001 - Springer
... Parallel **suspension** and driving cables are arranged for ... The proposed cable-car configuration separates the ... The **Stewart platform** (Stewart, 1965) has proved to ...
Cited by 3 - Related Articles - Web Search - BL Direct

A driving simulator as a virtual reality tool - group of 2 »
WS Lee, JH Kim, JH Cho - Robotics and Automation, 1998. Proceedings. 1998 IEEE ..., 1998 - ieeexplore.ieee.org
... drives a 6 degree-of-freedom **Stewart platform** for creating ... study for systematic development of the vehicle models. For chassis and **suspension** motion, both a 16 ...
Cited by 11 - Related Articles - Web Search - BL Direct

A laboratory test bed for space robotics: the VES II
S Dubowsky, W Durfee, T Corrigan, A Kuklinski, U ... - Intelligent Robots and Systems' 94.'Advanced Robotic Systems ..., 1994 - ieeexplore.ieee.org
... Spatial systems using **suspension** cables and complex mechanisms ... motions of the idealized vehicle which the ... The **Stewart platform** inverse kinematics are solved to ...
Cited by 5 - Related Articles - Web Search

Kinematics'not dead! - group of 2 »
JP Merlet - Robotics and Automation, 2000. Proceedings. ICRA'00. IEEE ..., 2000 - ieeexplore.ieee.org
... the pose of the wheel at a given altitude in an **automotive suspension** mechanism 0 ... For example for the **Stewart platform**, the analysis shows that there may be at ...
Cited by 3 - Related Articles - Web Search - BL Direct

A study of the effects of the lower index methods on ADAMS sparse tableau formulation for the ... - group of 3 »
NV Orlandea - Proceedings of the Institution of Mechanical Engineers, Part ..., 1999 - journals.pepublishing.com
... The second example is an **automotive** five-link independent rear **suspension** as represented in Fig. ... Fig. 8 Five-link rear car **suspension** K01099 # IMechE 1999 ...
Cited by 3 - Related Articles - Web Search

Results for "((stewart platform<and>suspension)) <and> (pyr >= 1951 <and> pyr <= 2002)"
Your search matched 12 of 1416205 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

View Session History

New Search

Modify Search

((stewart platform<and>suspension)) <and> (pyr >= 1951 <and> pyr <= 2002) Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

view selected items Select All Deselect All

1. **A driving simulator as a virtual reality tool**
Woon-Sung Lee; Jung-Ha Kim; Jun-Hee Cho;
Robotics and Automation, 1998. Proceedings. 1998 IEEE International Conference on
Volume 1, 16-20 May 1998 Page(s):71 - 76 vol.1
Digital Object Identifier 10.1109/ROBOT.1998.676264
AbstractPlus | Full Text: PDF(708 KB) IEEE CNF
Rights and Permissions

2. **A control system for a microgravity isolation mount**
Jones, D.I.; Owens, A.R.; Owen, R.G.;
Control Systems Technology, IEEE Transactions on
Volume 4, Issue 4, July 1996 Page(s):313 - 325
Digital Object Identifier 10.1109/87.508880
AbstractPlus | References | Full Text: PDF(1720 KB) IEEE JNL
Rights and Permissions

3. **Subject Index**
Mechatronics, IEEE/ASME Transactions on
Volume 7, Issue 4, Dec. 2002 Page(s):526 - 533
Digital Object Identifier 10.1109/TMECH.2002.1159233
AbstractPlus | Full Text: PDF(210 KB) IEEE JNL
Rights and Permissions

4. **The kinematics, dynamics, and control of free-flying and free-floating space robotic systems**
Dubowsky, S.; Papadopoulos, E.;
Robotics and Automation, IEEE Transactions on
Volume 9, Issue 5, Oct. 1993 Page(s):531 - 543
Digital Object Identifier 10.1109/70.258046
AbstractPlus | Full Text: PDF(1156 KB) IEEE JNL
Rights and Permissions

5. **A force-controlled pneumatic actuator**
Ben-Dov, D.; Salcudean, S.E.;
Robotics and Automation, IEEE Transactions on
Volume 11, Issue 6, Dec. 1995 Page(s):906 - 911
Digital Object Identifier 10.1109/70.478438
AbstractPlus | Full Text: PDF(848 KB) IEEE JNL
Rights and Permissions

6. **The bounds and realization of spatial stiffnesses achieved with simple springs connected in parallel**
Shuguang Huang; Schimmels, J.M.;
Robotics and Automation, IEEE Transactions on

Results for "((stewart platform<and>spring)) <and> (pyr >= 1951 <and> pyr <= 2002)"
Your search matched **42** of **1416205** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail printer friendly

» Search Options

View Session History

New Search

Modify Search

((stewart platform<and>spring)) <and> (pyr >= 1951 <and> pyr <= 2002) Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

view selected items Select All Deselect All 1-25 | 26-42

1. **Subject Index**
Robotics and Automation, IEEE Transactions on
Volume 15, Issue 6, Dec. 1999 Page(s):4 - 15
Digital Object Identifier 10.1109/TRA.1999.817686
AbstractPlus | Full Text: PDF(92 KB) IEEE JNL
Rights and Permissions

2. **Stiffness estimation of a tripod-based parallel kinematic machine**
Tian Huang; Xingyu Zhao; Whitehouse, D.J.;
Robotics and Automation, IEEE Transactions on
Volume 18, Issue 1, Feb. 2002 Page(s):50 - 58
Digital Object Identifier 10.1109/70.988974
AbstractPlus | References | Full Text: PDF(377 KB) IEEE JNL
Rights and Permissions

3. **Analysis and implementation of a 6 DOF Steward platform-based force sensor for passive compliant robotic assembly**
Nguyen, C.C.; Antrazi, S.S.; Zhou, Z.-L.;
Southeastcon '91., IEEE Proceedings of
7-10 April 1991 Page(s):880 - 884 vol.2
Digital Object Identifier 10.1109/SECON.1991.147886
AbstractPlus | Full Text: PDF(388 KB) IEEE CNF
Rights and Permissions

4. **Role of estimation in real-time contact dynamics enhancement of space station engineering facility**
Ananthakrishnan, S.; Teders, R.; Alder, K.;
Robotics & Automation Magazine, IEEE
Volume 3, Issue 3, Sept. 1996 Page(s):20 - 28
Digital Object Identifier 10.1109/100.540146
AbstractPlus | References | Full Text: PDF(1016 KB) IEEE JNL
Rights and Permissions

5. **Theory of vibrations in Stewart platforms**
Selig, J.M.; Ding, X.;
Intelligent Robots and Systems, 2001. Proceedings. 2001 IEEE/RSJ International Conference on
Volume 4, 29 Oct.-3 Nov. 2001 Page(s):2190 - 2195 vol.4
Digital Object Identifier 10.1109/IROS.2001.976395
AbstractPlus | Full Text: PDF(308 KB) IEEE CNF
Rights and Permissions

6. **Using a compliant wrist for a teleoperated robot**
Choi, S.W.; Choi, Y.J.; Seungho Kim;

Results for "((stewart platform<and>active vibration)) <and> (pyr >= 1951 <and> pyr <= 20..."
Your search matched 14 of 1416205 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

View Session History

New Search

Modify Search

((stewart platform<and>active vibration)) <and> (pyr >= 1951 <and> pyr <= 2002) Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

view selected items Select All Deselect All

1. **Six degree-of-freedom active vibration control using the Stewart platforms**
Geng, Z.J.; Haynes, L.S.;
Control Systems Technology, IEEE Transactions on
Volume 2, Issue 1, March 1994 Page(s):45 - 53
Digital Object Identifier 10.1109/87.273110
AbstractPlus | Full Text: PDF(920 KB) IEEE JNL
Rights and Permissions

2. **Design and control of flexure jointed hexapods**
McInroy, J.E.; Hamann, J.C.;
Robotics and Automation, IEEE Transactions on
Volume 16, Issue 4, Aug. 2000 Page(s):372 - 381
Digital Object Identifier 10.1109/70.864229
AbstractPlus | References | Full Text: PDF(368 KB) IEEE JNL
Rights and Permissions

3. **Relay feedback auto-tuning of cascade controllers**
Hang, C.C.; Loh, A.P.; Vasnani, V.U.;
Control Systems Technology, IEEE Transactions on
Volume 2, Issue 1, March 1994 Page(s):42 - 45
Digital Object Identifier 10.1109/87.273109
AbstractPlus | Full Text: PDF(360 KB) IEEE JNL
Rights and Permissions

4. **Comments on "Magnetically levitated micro PM motors by two types of active magnetic bearings"**
Assuncao, E.; Teixeira, M.C.M.;
Mechatronics, IEEE/ASME Transactions on
Volume 7, Issue 1, March 2002 Page(s):99 - 100
Digital Object Identifier 10.1109/3516.990893
AbstractPlus | References | Full Text: PDF(181 KB) IEEE JNL
Rights and Permissions

5. **Modeling and design of flexure jointed Stewart platforms for control purposes**
McInroy, J.E.;
Mechatronics, IEEE/ASME Transactions on
Volume 7, Issue 1, March 2002 Page(s):95 - 99
Digital Object Identifier 10.1109/3516.990892
AbstractPlus | References | Full Text: PDF(285 KB) IEEE JNL
Rights and Permissions

6. **A human machine interface for distributed virtual laboratories**
Gertz, M.W.; Stewart, D.B.; Khosla, P.K.;
Robotics & Automation Magazine, IEEE